

NUVAIR PRO He-O₂ TRIMIX ALARM ANALYZER



SYNERGY
INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION



The Pro He-O₂ Trimix Alarm Analyzer represents the most economical and contemporary model for the analysis of oxygen and helium in mixed gas with nitrogen. For an added cost savings, only one screen is used to cycle between He and O₂ readings.

FEATURES:

- On / off switch
- Low battery warning indicator (9603-LB only)
- Capable of shutting down compressor at set alarm

PLEASE NOTE:

Never expose gas sensors to pressure or you may cause damage and/or false readings. Damaged sensors will not provide accurate gas analysis. Inaccurate gas analysis can lead to serious personal injury or death. Most gas analyzers can be used to analyze a regulated gas sample flow, the contents of a gas cylinder or the flow from a regulator. To produce this flow, a flow restrictor and regulator may be required.

SPECIFICATIONS:

SKU 9602	Oxygen	Helium
Flow Rate	0.5–5 L/min	0.5–1 L/min
Resolution	±0.1%	0.1%
Repeatability / Linearity	±1% volume O ₂ @100% O ₂ applied for 5 min	±2% over full scale
Accuracy	±1% over full scale @ constant temperature, pressure and gas flow	±2% over full scale
Sensor Type	Electrochemical	Thermal conductivity
Expected Sensor Life	Up to 48 months	Up to ten years
Range	0.0–100% oxygen	0.0–100% helium in air, N ₂ or O ₂
Alarms	(2) User-programmable audible and visual alarms	(2) User-programmable audible and visual alarms
Response Time	<15 sec for 90% response, <25 sec for 97% response	<10 sec for 90% response at 73°F (23°C)
Operating Temperature	41° to 104°F (5° to 40°C)	41° to 104°F (5° to 40°C)
Operating Humidity	0 to 95% rh, non-condensing	0 to 90% rh, non-condensing
Storage Temperature Range	5° to 122°F (-15° to 50°C)	5° to 122°F (-15° to 50°C)
Warranty	12 Months - 100% parts and labor 13-18 Months - 50% sensor only 19-24 Months - 25% sensor only	12 Months - 100% parts and labor
Power Requirements	Rechargeable lithium battery with 110/230 V charger	
Dimensions (L x W x H)	3.6 x 8.8 x 7.5 in (9.3 x 22.5 x 19 cm)	
Weight	2 lb (0.95 kg)	

*All specifications are at ambient / sea level, 77°F (25°C) and are subject to change without notice.



Call Us

0044 795 196 6260
00971 50 564 8178

Email Us

ram@synergyequipment.com
info@synergyequipment.com

Visit Us

Al Qusais Industrial Area 1, Dubai.
www.synergyequipment.com